

Donn June 1958 chalaza Lileum Cerus specionissimus. 1930 funionels ænsky lung oft of Lig en In Human Lita frang hang Onden cangiglelogs mit großmen Nacie fork, In leg I sen gebogen, facionales sulfan fry isten L'Murmpyle lagt Gran Oberful So Our il groß mil groß nuhl Nallan Kenty- Jull. Hair foll fri Albarant offentagon wit 3-4 fran Engrange Jullan, Longtongh aby Cill In the fil July gry Josh Main below the all of your fun Ozani MISSOURI BOTANICAL copyright reserved cm GARDEN


Hayen & Many I de Come of glis glatt
of Mulphy as langur Spolling by from the opention

about god of the lage by his plants
of ged of side in the bay is

and the styrings be able to fight for an eliter

bat when he had a side for the sound of the strains of the sound of the side of the sound of the strains of the sound of the side of the sound of the side of the s

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS







ROTANICAL





0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN

Horace Hal both bern solonge vix indistrict aggelosa MISSOURI BOTANICAL

copyright reserved

Host Schnefen Munster. Sume 1854 1932 Hybrid. Cen Smithing from lugland something of the helist of C. flagill. formis or souther Cocheveen that a I C. sperio With their plansier augulan steins ets. flower, numer, of a beautiful pale sed or rose , somewhit sin law to C. flagelley. bal much nicker – & Dittingeree! – Unkra how produced.

Mr Schaefer obland seeds of their plant but it som no seeds but small green buds or young placets (of the shape of which nothing is now revolleded) which grew up a pordered differet plants som like the parent plant - cother Different they are too young yet to say any thing about There, Cen acrifer with Thyllocactus phyllouthords a hýbrið similar more to the latter plant with sich some red flaver, short spinas Tule -A vy ourions hybrid is one product from a hybrid. (er. speridsissi nær a l Aphyllanthoides furnish a beautiful hybrid

BOTANICAL copyright reserved cm GARDEN

well known as Cercus ignesseus Their Mer Shreffen has crossed with Com Celeshopsis tubiflom and has produced a plant which es a sickly smill plant with 3-5 angular stem, but beautiful soze rolon e very full a sich flower. ( Cerus spirising Cercus ignes rung Thyllowather Thy Clauthority Hybris Schreffen; ) novn Pehrops i tubiflom MISSOCKI BOTANICAL

copyright reserved


GARDEN


cm

Comes splenders Hybre of Mylloral dal Hors Gerchie May 1860 flet like Skyllette. 1933 over peutegones, saugale itt ale 1 1 les tutu with 11 soles 8 est puteto sopely ove 16 dely ought petet lan fut of take make i inch




the 5 City stame set hake to stan nel rover at facey 11-12 white short ent stign Marble Building Cor. Fourth & Olive Sts. S'Louis, Mo.















Cerei of Hort. bot. Venet. · Jan. 1858. 1935 Cercus triangularis 20 or more feel Ligh, 3 alate stem, 4-5 inches broad; fruit flower, often flower open at night, 12 inches or more in fruit good ved, 4-15 inches L'ameter. souly tuberrulated; small shiring seeds. Cereus ramosus 3-4 winger steen, 12-15 feel high, stouter than the last, 6" i Samet apines 6-8, 1/2-1 inch long, subulate, stout. flower also at night, 6 inches Sameter. less scaly tube sum spinons; fruk oval 1/2 inch, Sacret 2 inchesles; Cerus variabilis is evidally similar Cer. aoutanguly & Cer. Caxanius is seem-— C. ramosus. The follows ask pendles, sadirant, climbi, C. ikermis, 12-15 high sommely I inch d'aunt I augular - has now flowered. C. hamilis (sit-!) is similar but sping. MISSOURI

Otriqueter les sping then last also with both these last an similar to C. schaceus C. setareur white fl. at night of 10 inches Sameter Stem. 3 alate, 1-1/2 inde d'ameter, 8 feet high. An all these, for mining to setareou, sadiant ornot? or only therming I forgy Etortuosen 12 feet high, 1/2 -2 inches d'ames. flow at right, 10 inch log 6-7 inches white with field subered stein angular with og oblin some grug the startest blackish, a 2 inches frit 1/2-2 miles ly maly globose much tubernletet tubernles MISSOURI

sping: frit and red; sind nd, interior pulp white, with names seed, absolutely globose, independe of the Faberbles of the mind. Cen. serpentiones produces flowers man the base, or reposands laterally or absolutely terminal. (= Jurranini) E. Chrembergi erest 3-4 feet high Ah7-10 very oblise siles and 4-8 dark their spikes, (= erectury = repandry = enophorus i hort l'enit,)


ful 1-2 inches d'aux. subglober, tudendado lae esperially the upp oney with long love C. princeps, with right flowers as large as ramosons (Lee abobe) seems to be our "C. variabilis". MISSOURI BOTANICAL



see St. Never frug 57 till (erens Jespenting Lagason June 30 4/65inches i d'ameter, feel Righ, In erect steen ->66 l Might flowing, white the last right sor 6 flows open odosiferos, but vathe unpleasant, show, flower giving by 3/2 inches with when fally ofen Dany glileose, obligue, with ale & 48 pubblik, formerhet prominent or tutumlett, each leaning a subulate sepul and in it, axill an avede with short white touten, ad 6-15 spring, automes storter, State hearlike, immone, stoule stiff, red at lowhilf, dåde ab 4 miles log, greenish, nibber (dom't 11 nbs) with det 30 or 40 sepels, min model mlowwhalf, where they are smallen I with willey sprker above lægen I aiked in axil 4-5-6 wite Julien sepuls 15-10 1-3 inder les, broadly Cirian abtuse, set brown outside. tetet, slet 34 white linear spatilite, oblise satire incurred upward moullate at tips, inau ones shorter 2 - 3 when long ale 5 les, with Intent Jule aked about 2/2 inches, stansinete abot 3 inches - without a distinct Corona Externe stamen, abt i shehtong - stamment Poller globose, spindose, o.058 l. damet. Style slenden, longerthen stamens, with 5 or 6 stigments, slightly spready rather thick white.


copyright reserved cm


MISSOURI BOTANICAL GARDEN




The overles of pather them funded Mare a very perulen structur. The large Centitular order are born on short finish of which 2 - h are see also DE. Revn p. 54 1 1 1 1 1 an Test. The functile surround the orale as es may more closely the i any oth spenies Known to me and They are so closely pressed agerast the onle, that their inner Dinface Gooding channeled To That An condition of the ovale of Granting æppræached. MISSOURI BOTANICAL

copyright reserved









MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN FAPERS



MISSOURI BOTANICAL GARDEN






MISSOURI BOTAMICAL GARDERS
GEORGE ENGELMANN PAPERS







MISSOURI BOTANICAL GARDEN. GEORGE ENGELMANN PAPERS

